


1986 Dodge Aries K SE





Dodge Aries K SE with optional 14" wheel covers shown in Dark Cordovan Pearl Coat.



Dodge Aries K SE instrument panel.



Dodge Aries K SE interior shown in Almond.

***The 1986 Dodge Aries K SE.
For Versatile Six-Passenger
Comfort and Efficient
Performance.***

The Dodge Aries K SE sedan for 1986 brings attractive styling, efficient operation, and a spacious, comfortable interior with seating for six. A cloth with vinyl trim split-back bench seat with adjustable head restraints and folding center armrest is standard with luxurious vinyl door trim panels. A full array of rich interior colors tastefully contrast the exterior paint color, further enhancing Aries K's beautiful lines.

The proven 2.2-liter four-cylinder engine is standard, and features a redesigned fast-burn cylinder head and advanced low-pressure, single-point electronic fuel injection for optimum efficiency, driveability and smoothness—under all operating conditions. A well-designed instrument panel features gauges to monitor speed, elapsed distance traveled, fuel level, voltage, engine coolant temperature, and warning lights for low oil pressure, electrical, and brake system monitors.

Dodge Aries K's front-wheel drive is capable of handling bad weather and poor roads, guiding you and your passengers with confident ease. Front-wheel drive puts the engine directly over the driving wheels, and moves you over roads that leave lesser vehicles motionless. The Dodge Aries K SE is on-road technology in motion!



Dodge Aries K SE—for comfortable, versatile and dependable capability.

ABOUT THIS CATALOG. Since the time of printing, some of the information you will find in this catalog may have been updated. See your dealer for details.

Some of the equipment shown or described throughout this catalog is available at extra cost.



Dodge Aries K SE wagon shown in White and Dodge Aries K SE wagon shown in Ice Blue.



***Pride in Design and
Manufacturing. Proof in
Performance and Durability.***

Dodge is justifiably proud of the quality of Aries K SE. That's Chrysler Corporation engineered-in quality. The 1986 Dodge Aries K SE is the result of Computer-Aided Design (CAD) and Computer-Aided Manufacturing (CAM) that are at the leading edge of automotive science.

Front-wheel drive has helped create lighter, more compact, vehicles. That's

why the trim Aries K SE can carry six passengers in comfort and still have a generous 425 liters of trunk space.

The smooth, clean exterior look of the Aries provides more than just beauty. Thanks to many hours of wind tunnel testing, the car's shape slices the wind more efficiently than ever before. The mileage and driveability gains and lower wind noise are proof that form and function have met on new ground, at Dodge.

This is the most comprehensively rust-protected Aries K SE ever, with more corrosion-resistant galvanized steel and a new aperture construction method that uses fewer, larger body parts for fewer welds and crevices where rust can begin.

Aries paint preparation includes a seven-step dip-and-spray process, followed by a coating of chip-resistant urethane plastic to lower body sides. After the acrylic paint is applied, every Aries receives an application of clear coat for protection and extra shine. The care, engineering and technology all add up to Aries for 1986.

***Aries K SE Station Wagons.
Bridging the Gap Between
Sedan and Van.***

The 1986 Aries K SE station wagon is the vehicle that can comfortably handle six passengers plus all their gear, too. For the bigger jobs, the rear seat folds down, increasing the cargo area, yet still seats three adults. The Aries K SE wagon does more than haul luggage and cargo—it offers you and your passengers agreeable surroundings in smooth-riding style. And it provides you with all the little comforts and amenities that add up to a wonderfully pleasing and versatile vehicle. The Aries K SE station wagon is perfect for those who need more than a sedan and less than a van. And it bridges that gap, with style and comfort to spare.







A—OPTIONAL HEAVY-DUTY SUSPENSION with gas-pressurized front dual path Iso-Strut and coil spring independent suspension with linkless antisway bar; rear beam axle with trailing arms and track bar, heavy-duty coil springs and gas-pressurized rear shock absorbers.

B—OPTIONAL ROOF LUGGAGE RACK AND REAR WINDOW WIPER/WASHER/DEFROSTER on Aries K SE station wagon provide extra luggage space and excellent rear visibility, respectively.


C—STANDARD 13-INCH DELUXE WHEEL COVERS features deluxe styling with a sleek, modular appearance.



D—OPTIONAL 14-INCH ROAD WHEEL in cast aluminum. Features eighteen-spoke design for over-the-road good looks.

E—OPTIONAL AM STEREO*/FM STEREO premium radio with cassette player includes electronic tuning, seek-and-scan, cassette player with automatic reverse, Dynamic Noise Reduction (DNR),[†] four speakers and an integral digital clock.

F—OPTIONAL AIR CONDITIONING[‡] keeps your car's climate cool and comfortable by reducing both temperature and humidity, and comes with convenient bi-level ventilation adjustment.



G—OPTIONAL BLACK OUTSIDE MIRRORS on both left and right sides feature remote control adjustability for maximum rear and side vision.

*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capability.

[†]DNR (Dynamic Noise Reduction) is a trademark of National Semiconductor Corporation.

[‡]There are special engine cooling requirements for field-installed air conditioning. Failure to follow these requirements may invalidate warranty. See your dealer for details.

1986 Aries K SE Engine and Transaxle

Engine	Displacement	Bore & Stroke	Compression Ratio	Horsepower	Torque	Transaxle Availability
4-cylinder OHC single-point electronic fuel injection standard on all models	2.2-liter EFI ¹ (135 CID)	87.5mm x 92.0mm 3.44 x 3.62 in.	9.5:1	72 kW @ 5,200 SAE 97 hp @ 5,200	165 N-m @ 3,200 122 lb ft @ 3,200	3-speed automatic (3.02 OTGR)

OTGR—Overall top gear ratio. ¹Single-point electronic fuel injection.

Standard and Optional Equipment

Aries K SE Features	Aries K SE	Aries K SE Wagon
Air Conditioning ¹ —Manual bi-level ventilation (tinted glass required)	E	E
Alternator—90-ampere	S	S
Battery—335-ampere, maintenance-free	S	S
Bracket—Front license plate (standard where required)	NC	NC
Brakes—Vented disc front, drum rear; power-assisted	S	S
Bumpers—Energy-absorbing; with protective rub strips	S	S
Carpeting—Cargo compartment	NA	S
Carpeting—Trunk well floor	S	NA
Clock—Electronic digital; integral with all radios	S	S
Corrosion Protection—Urethane protective coating on lower body panels; extensive use of galvanized steel	S	S
Defroster—Rear window	E	E
Door Locks—Power (only with AAM Package)	E	E
Electronic Ignition, Voltage Regulation and Fuel Injection	S	S
Gauges—Electrical system voltage, engine coolant temperature, fuel level; oil pressure warning light; trip odometer	S	S
Glass—Tinted (air conditioning or Value Package required)	E	E
Headlights—Halogen	S	S
Heater and Defroster—With bi-level ventilation	S	S
Hood Release—Inside	S	S
Insulation—Hood pad	S	S
Insulation—Special sound	P	P
Light—Cargo space; liftgate-ajar warning	NA	S
Light—Trunk	S	NA
Lights—Backup; dome; front door dome light switches; parking brake warning; side markers with reflectors	S	S
Lights—Glove box; map/reading; rear door dome light switches (four-door sedan and wagon)	S	S
Luggage Rack—Roof-mounted	NA	E
Map pockets	S	S
In front doors	S	S
Mirror—Exterior, left remote	S	S
Mirror—Interior, passenger side visor vanity; with map/reading light and swivel feature	S	S
Mirror—Interior, rearview; day/night	S	S
Mirrors—Exterior, dual remote	P	P
Molding—Body-side, wide; black with argent stripe	S	S
Molding—Body-side bumper rub strip extension, front and rear; black with bright insert and argent stripe (except wagon rear)	S	S
Molding—Rear; black	NA	S
Radio—AM stereo ² /FM stereo, premium; electronic tuning; seek-and-scan; Dynamic Noise Reduction (DNR) ³ ; cassette player with automatic reverse; four-speaker sound; integral digital clock	E	E

Standard and Optional Equipment

ITEM	Aries K SE	Aries K SE Wagon
Speed Control—Automatic	E	E
Speedometer—Metric, 200Kph	E	E
Steering—Rack-and-pinion; manual	S	S
Steering—Rack-and-pinion; power-assisted	E	E
Steering Column—Tilt (speed control required)	E	E
Steering Wheel—Deluxe; two-spoke	S	S
Suspension—Dual-path front Iso-Strut with coil springs, linkless antisway bar; rear beam axle with trailing arms, coil springs and shock absorbers	S	S
Suspension—Heavy-duty; heavy-duty springs front and rear; gas pressurized front struts and rear shock absorbers	E	E
Tire—Spare, compact; high pressure, low-mileage	S	S
Tire—Spare, conventional	E	E
Tires—P175/80R13 steel-belted radial black sidewall (set of four)	S	S
Tires—P175/80R13 steel-belted radial white sidewall (set of four)	E	E
Tires—P185/70R14 steel-belted radial black sidewall (set of four) deluxe; 14-inch wheel covers or 14-inch cast aluminum road wheels required	E	E
Tires—P185/70R14 steel-belted radial white sidewall (set of four) deluxe; 14-inch wheel covers or 14-inch cast aluminum road wheels required	E	E
Tonneau Cover—Rear	NA	P
Trunk Dress-Up	P	NA
Undercoating	E	E
Wheel Covers—Deluxe, 13-inch (set of four)	S	S
Wheel Covers—Deluxe, 14-inch (set of four) 14-inch tires required	E	E
Wheels—Road, 14-inch; cast aluminum (set of four; 14-inch tires required)	E	E
Windshield Wipers—Deluxe; with intermittent wipe	S	S
Wiper/Washer System—Liftgate	NA	E

S—Standard. E—Extra cost. NA—Not available. P—Package only. NC—No cost option.

¹There are special engine cooling requirements for field-installed air conditioning. Failure to follow these requirements may invalidate warranty. See your dealer for details.

²Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.

³DNR (Dynamic Noise Reduction) is a trademark of National Semiconductor Corporation.

Certain models, packages and options are subject to specific restrictions, requirements, or late availability. See your dealer for the latest ordering information.

Packages

Value Package includes: Tinted glass (all windows); dual remote control mirrors; power-assisted steering; AM stereo/FM stereo radio; body-side tape stripe; special body sound insulation; trunk dress-up (two- and four-door sedans only); automatic transaxle; tonneau cover (wagon only).

Dimensions, Weight and Capacity

	Two-Door	Four-Door	Wagon
Length (mm)	4536	4536	4546
Width (mm)	1727	1727	1727
Height (mm)	1333	1343	1351
Wheelbase (mm)	2548	2548	2550
Turning Diameter (m)	10.7	10.7	10.7
Curb Weight (estimated) SE	1128 kg	1135 kg	1158 kg
Trunk Capacity/Cargo Capacity (L)	425	425	—
with rear seatback up (L)	—	—	988
with rear seatback down (L)	—	—	1917
Passenger Capacity	6	6	6
Fuel Capacity (liters)	53	53	53

Interior Dimensions

	Aries K SE Two-Door	Aries K SE Four-Door	Aries K SE Wagon
Headroom (mm)—Front	970	980	980
—Rear	940	960	977
Legroom (mm)—Front	1072	1072	1072
—Rear	892	900	885
Hiproom (mm)—Front	1416	1412	1412
—Rear	1380	1428	1428
Shoulder Room (mm)—Front	1398	1407	1407
—Rear	1494	1421	1421

Exterior Colors

Black PX8	Light Cream PT1
Gunmetal Blue Pearl Coat* PC6	Gold Dust PT4
Ice Blue PB1	Garnet Red Pearl Coat* PR6
Golden Bronze Pearl Coat PT5	Radiant Silver PA1
Dark Cordovan Pearl Coat PE9	White PW2

*Available at extra cost.

Interior Trim

Code	
A4	Optional on Aries K SE two-door and four-door sedans and SE wagons. All-vinyl split-back bench seat with adjustable head restraints and folding center armrest; vinyl door trim panels. Available in Medium/Dark Blue*, Cordovan, Silver/Charcoal, or Almond.
A3	Standard on Aries K SE two-door and four-door sedans and SE wagon. Cloth with vinyl trim split-back bench seat with adjustable head restraints and folding center armrest; vinyl door trim panels. Available in Medium/Dark Blue*, Cordovan, Silver/Charcoal, or Almond.
F7	Optional on Aries K SE two-door and four-door sedans and SE wagon. Cloth with vinyl trim low-back bucket seats with adjustable head restraints, reclining seatbacks and full-length center console; vinyl door trim panels. Available in Medium/Dark Blue*, Cordovan, Silver/Charcoal, or Almond.

*Not available on wagon.




CHRYSLER
CORPORATION
GENUINE PARTS

All product illustrations and specifications are based on authorized information. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Chrysler Corporation reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models. See your dealer for the latest information.



CHRYSLER
CORPORATION
EXPORT OPERATIONS



SPECIFICATIES DODGE ARIES 2- EN 4-DEURS EN WAGON

Technische uitrusting

Motor:	4-cylinder met bovenliggende nokkenas, centrale elektronisch geregelde brandstofinspuiting
Inhoud:	2,2 liter
Max. vermogen:	72 Kw/5200 tpm
Max. koppel	165 Nm/3200 tpm
Koeling:	vloeistof, gesloten systeem
Emissiesysteem:	3-weg katalysator met luchtinductie en EGR
Brandstof:	loodvrije benzine RON 91
Transmissie:	automatische versnellingsbak met 3 versnellingen vooruit en een achteruit
Aandrijving:	voorwielen

Onderstel

Stuurinrichting:	tandheugel met bekrachtiging
Wielophanging:	voor: Mc Pherson veersysteem met torsiestabilisator achter: semi-onafhankelijk met schroefveren
Remmen:	bekrachtigd, geventileerde schijven voor, en zelfstellende trommelremmen achter
Banden:	185/70 x 14 radiaal

Maten en gewichten -----	2-deurs -----	4-deurs -----	Wagon -----
Lengte	4536 mm	4536 mm	4534 mm
Breedte	1727 mm	1727 mm	1727 mm
Hoogte	1334 mm	1344 mm	1351 mm
Wielbasis	2548 mm	2548 mm	2550 mm
Spoorbreedte voor	1463 mm	1463 mm	1463 mm
achter	1453 mm	1453 mm	1453 mm
Draaicirkel	10,7 m	10,7 m	10,7 m
Bagageruimte	425 l.	425 l.	988 l.
- met neergekl. achterbank	-	-	1917 l.
- hoogte bij opening	-	-	69,1 cm
- breedte vloer bij opening	-	-	133,1 cm
- breedte tussen wielkasten	-	-	98,0 cm
- lengte tot achterbank	-	-	84,3 cm
- lengte tot voorstoelen	-	-	175,5 cm
Inhoud brandstoftank	53 l.	53 l.	53 l.
Gewicht	1087 kg	1099 kg	1125 kg
Aanhangwagengewicht	900 kg	900 kg	900 kg

STANDAARD UITRUSTING

Exterieur:

-
- Carosseriebescherming door gebruik van gegalvaniseerd staal en coating van onderste carosseriepanelen
- Energie-absorberende bumpers met rubber beschermstrips
- Beschermstrips zijkant carosserie
- Body striping
- Luxe wieldoppen
- Halogeen koplampen
- Dak-bagagerek (Wagon)
- Roestvrijstalen uitlaat

STANDAARD UITRUSTING (Vervolg)

INTERIEUR:

- Bekleding van stof en vinyl
- Volledig verstelbare voorstoelen
- Armsteunen in de portieren
- Verstelbare hoofdsteunen (stof)
- Hoogpolige tapijtvloerbedekking in passagiers- en bagageruimte
- Veiligheidsgordels voor en achter
- Kledinghaakjes achterin
- Asbakje
- Sigare-aansteker
- Twee asbakjes achterin
- Leeslampje in rechter zonneklep
- Binnenspiegel met dag-/nachtstand
- Afsluitbaar handschoenenkastje

- Luxe stuurwiel
- Stuurbekrachtiging
- Zwarte, van binnenuit verstelbare buitenspiegels
- Getint glas rondom
- Achterruitverwarming
- Ruitewissers met 2 snelheden + interval
- Elektrische ruitesproeier met wis/was installatie
- Ruitewisser op achterklep (Wagon)
- Airconditioning
- Multifunktionele schakelaar op stuurkolom
- Dagteller
- Brandstofmeter
- Koelvloeistoftemp. meter
- Voltmeter
- Waarschuwinglampjes:
 - veiligheidsgordels
 - remsysteem
 - handrem
 - grootlicht
 - oliedruk
 - niet goed gesloten achterklep (Wagon)
 - clignoteurs
- storingsindikatielampje
- AM/FM Stereo radio/cassettespeler met digitale klok
- Speciale interieur geluidsisolatie

Importeur: NIMAG B.V.

Reedijk 9, 3274 KE Heinenoord
Postbus 3250, 3274 ZH Heinenoord
Tel. 01862-7911

De importeur behoudt zich het recht voor zonder voorafgaande kennisgeving prijzen en uitvoeringen te wijzigen

S.E & O.



	excl BTW	incl BTW
Personenwagens		
Dodge Aries LE 2-door	f 33.250,00	f 39.900,00
Dodge Aries LE Sedan 4-door	f 34.083,33	f 40.900,00
Dodge Aries LE Stationwagon 5-door	f 36.583,33	f 43.900,00
Dodge 600 SE	f 45.750,00	f 54.900,00
Bedrijfswagens		
Dodge Aries LE Stationwagon 5-door	f 28.490,00	f 34.188,00
Dodge B 350 Van	f 47.900,00	f 57.480,00

Chrysler / Dodge dealers

Autocenter Pietersen R'dam B.V.
Waalhaven 2.2. 6
3088 HH ROTTERDAM
tel. 010 - 4281155

Nimag Den Haag
Binckhorstlaan 172-174
2516 BG DEN HAAG
tel. 070 - 475421

Van Boven Emmen B.V.
Phileas Foggstraat 10
7821 AK EMMEN
tel. 05910 - 18128

American Cars Schimmert
Groot Haasdall 6
6333 AW SCHIMMERT
tel. 04404 - 1888

Zeijnga B.V.
Wiegerbruinlaan 73
1422 CB UITHOORN
tel. 02975 - 62055

Autobedrijf Bosboom B.V.
Birkstraat 105
3768 HD SOEST
tel. 02155 - 13256

Hollandse Auto Import Mij.
H.A.I. B.V.
Floralaan 2
2230 ZV RIJNSBURG
tel. 01718 - 29224

AutoPlaza
Amsterdamseweg 77
1182 GP AMSTELVEEN
tel. 020 - 470136

Iliohan B.V.
J.W. Hagemanstraat 21
7151 AD EIBERGEN
tel. 05454 - 73111

Dodge bedrijfswagens

Auto Hoeke Bedrijfswagens B.V.
Rotterdamseweg 368
2629 HG DELFT
tel. 015 - 569306

De importeur behoudt zich het recht voor zonder nadere kennisgeving veranderingen in uitvoering en/of prijzen aan te brengen.
Alle prijzen in deze prijslijst vermeld zijn geadviseerde verkoopprijzen voor aflevering af depot Heineoord. Inschrijving K.v.K. Dordrecht 44425.

IMPORTEUR: B.V. NIMAG, REEDIJK 9, 3274 KE HEINENDORD, TEL. 01862 - 7911



SPECIFICATIES DODGE 600 SE



Technische uitrusting

Motor:	4-cylinder met bovenliggende nokkenas, elektronische benzine inspuiting, met turbo en 3-weg katalysator uitgerust.
Inhoud:	2,2 liter
Boring x slag:	87,5 mm x 92 mm
Kompressie verhouding:	8,1 - 1
Max. vermogen:	109 kW/5200 tpm
Max. koppel:	230 Nm/3600 tpm
Brandstof:	Loodvrije benzine RON 91
Koeling:	vloeistof, gesloten systeem
Emissiesysteem:	3-weg katalysator
Transmissie:	automatische transmissie met 3 versnellingen vooruit en een achteruit

Onderstel

Stuurinrichting:	tandheugel met bekrachtiging
Wielophanging:	Mc Pherson veersysteem met stabilisator voor, semi-onafhankelijke achteras met schroefveren
Remmen:	Bekrachtigd, geventileerde schijven voor en zelfstellende trommelremmen achter
Banden:	185/70 x 14 radiaal met wit zijvlak

Maten en gewichten

Lengte	4704 mm	Gewicht	1180 kg
Breedte	1727 mm		
Hoogte	1349 mm		
Wielbasis	2624 mm		
Spoorbreedte voor	1463 mm		
achter	1453 mm		
Draaicirkel	11,0 m		
Bagageruimte	484 l.		
Inhoud brandstoftank	53 l.		

STANDAARD UITRUSTING DODGE 600 SE

INTERIEUR:

- Stoelbekleding van stof en vinyl
- Hoofdsteunen (stof)
- Volledig verstelbare voorstoelen met twee armsteunen
- Vier armsteunen in deuren
- Hoogpolig tapijt in passagiers- en bagareruimte
- Kledinghaakjes achter
- Leeslampje
- Getint glas
- Achterruitverwarming
- Speciale geluidsisolatie
- Veiligheidsgordels voor en achter

- Luxe stuurwiel, in hoogte verstelbaar
- Stuurbekrachtiging
- Cruise control
- Multi-funcionele schakelaar op stuurkolom
- Ruitewissers met 2 snelheden + interval
- Elektrische ruitespoeier met wis/was installatie
- Binnenspiegel met dag/nacht-stand
- Twee buitenspiegels
- Linker buitenspiegel van binnenuit verstelbaar
- Centrale deurvergrendeling
- Motorkap, achterklep en tankklepje van binnenuit te openen
- Elektrisch bedienbare zijruiten

- AM/FM stereo radio/cassettespeler met digitale klok
- 6 speakers
- Asbak
- Sigare-aansteker
- Brandstofmeter
- Koelvloeistoftemp. meter
- Voltmeter
- Waarschuwinglampjes voor:
 - veiligheidsgordels
 - handrem
 - remsysteem
 - oliedruk
 - grootlicht
 - niet gesloten deuren, kofferklep
 - sleutel in contact
 - brandstofvoorraad
- storingsindikatielampje

- Ventilator met twee snelheden
- Dagteller
- Afsluitbaar dashboardkastje
- Airconditioning

EXTERIEUR:

- Energie-absorberende bumpers met rubber beschermstrips
- Body striping
- Luxe wieldoppen
- Dubbele halogeen koplampen
- Corrosiebescherming door gebruik van gegalvaniseerd staal en coating van onderste carosserie-panelen.
- Roestvrijstalen uitlaat
- Verlichting in motorruimte
- Tweetonige claxon
- 500 Amp. onderhoudsvrije accu

Importeur: NIMAG B.V.

Reedijk 9, 3274 KE Heinenoord
Postbus 3250, 3274 ZH Heinenoord
Tel. 01862-7911

De importeur behoudt zich het recht voor zonder voorafgaande kennisgeving prijzen en uitvoeringen te wijzigen

S.E. & O.

