


TECHNISCHE GEGEVENS TECHNICAL SPECIFICATIONS

NISSAN SUNNY



LEVERINGSPROGRAMMA / MODEL AVAILABILITY

SUNNY		3-deurs 3-door		4-deurs 4-door		5-deurs 5-door		Station- wagon
		5-bak 5-speed	automaat automatic	5-bak 5-speed	automaat automatic	5-bak 5-speed	automaat automatic	5-bak 5-speed
1.4	L	•						
	LX	•	•	•		•		
	LX+	•	•	•		•		
	SLX	•		•		•		
1.6	LX	•		•		•		•
	LX+	•		•		•		•
	SR	•						
	SLX			•	•	•	•	•
2.0	GTi	•						
2.0 diesel	LX	•		•		•		•
	LX+	•		•		•		
	SLX			•		•		•


NISSAN

UITVOERINGSSPECIFICATIES / EQUIPMENT SPECIFICATIONS

EXTERIEUR	3d/4d/5d						Wagon			EXTERIOR
	L	LX	LX+	SR	SLX	GTi	LX	LX+	SLX	
voorrui van gelaagd glas	●	●	●	●	●	●	●	●	●	laminated windshield glass
getint glas		●	●	●	●	●	●	●	●	tinted glass
halogeen koplampen	●	●	●	●	●	●	●	●	●	halogen headlamps
koplamphoogteverstelling van binnenuit				●	●	●			●	height adjustable headlamps
mistlampen voor				●		●				front fog lamps
verstralers in voorbumper				●		●				driving lamps front
achteruitrijlampen	●	●	●	●	●	●	●	●	●	reverse lamps
mistachterlicht	●	●	●	●	●	●	●	●	●	rear fog lamp
alarmknipperlichtinstallatie	●	●	●	●	●	●	●	●	●	hazard warning
linker buitenspiegel van binnenuit verstelbaar	●									left side door mirror (remote controlled)
2 van binnenuit verstelbare buitenspiegels		●	●				●	●		dual remote controlled door mirrors
elektrisch bedienbare buitenspiegels				●	●	●			●	dual electric remote controlled door mirrors
spiegels in carrosseriekleur				●	●	●				body coloured door mirrors
ruitwissers met twee snelheden	●	●	●	●	●	●	●	●	●	two-speed front wipers
intervalschakelaar ruitwissers	●									intermittent front wipers
ruitwissers met variabele interval		●	●	●	●	●	●	●	●	variable intermittent wipers
achterruiwiser en -sproeier (3d/5d)		●	●	●	●	●	●	●	●	rear wiper and washer (3d/5d)
achterruiwiser met interval (3d/5d)		●	●	●	●	●	●	●	●	rear intermittent wiper (3d/5d)
bumpers in carrosseriekleur				●	●	●			●	body coloured bumpers
beschermstrips op de flanken	●	●	●	●	●	●	●	●	●	side guard mouldings
wiel naafdoppen (1.4 en 2.0 diesel)	●	●								wheel center caps (1.4 and 2.0 diesel)
aërodynamische wioldoppen		1.6	●	●	●		●	●	●	full wheel covers
lichtmetalen velgen						●				alloy wheels
uitzetbare achterzijruiten (3d)	●	●	●	●	●	●				flap-out rear side windows (3d)
antenne	●	●	●	●	●	●	●	●	●	antenna
spatlappen voor en achter				●	●	●			●	mudguards front and rear
spoiler voor en achter / side-skirts				●		●				front and rear spoiler / side-skirts
dubbeltonige claxon	●	●	●	●	●	●	●	●	●	dual tone horn
stalen profielen in de portieren	●	●	●	●	●	●	●	●	●	door side guard bars
ABS anti-blokkeer remsysteem						●				ABS Anti-lock Braking System
zwartgekleurde middenzijstijl				●	●	●			●	black painted B. pillar
afsluitbare brandstoftankklep	●	●	●	●	●	●	●	●	●	lockable fuel filler lid

INSTRUMENTEN	INSTRUMENTS									
digitaal quartzklokje		●	●	●	●	●	●	●	●	quartz digital clock
snelheidsmeter en dagteller	●	●	●	●	●	●	●	●	●	speedometer
toerenteller				●	●	●			●	tachometer
koelvloeistoftemperatuurmeter	●	●	●	●	●	●	●	●	●	coolant temperaturemeter
brandstofvoorraadmeter	●	●	●	●	●	●	●	●	●	fuel level meter
regelbare dashboardverlichting				●	●	●			●	illumination control

VERWARMING/VENTILATIE	HEATING/VENTILATION									
achterruiwerverwarming	●	●	●	●	●	●	●	●	●	electric rear window defroster
verwarming naar voetenruimte achter				●	●	●			●	rear heater ducts
aanjager met 4 snelheden	●	●	●	●	●	●	●	●	●	4-speed fan
regel- en richtbare ventilatieroosters	●	●	●	●	●	●	●	●	●	adjustable air ducts
zijruitontwaseming	●	●	●	●	●	●	●	●	●	side window defoggers

WAARSCHUWINGS-/CONTROLELAMPJES	WARNING/INDICATION LAMPS									
groot licht	●	●	●	●	●	●	●	●	●	high-beam
mistachterlicht	●	●	●	●	●	●	●	●	●	rear fog lamp
handrem/remvloeistofniveau	●	●	●	●	●	●	●	●	●	parking brake/brake fluid
alarmknipperlichtinstallatie	●	●	●	●	●	●	●	●	●	hazard warning
richtingaanwijzers	●	●	●	●	●	●	●	●	●	direction indicator lamps
achterruiwerverwarming	●	●	●	●	●	●	●	●	●	electric rear window defroster
laag brandstofniveau		●	●	●	●	●	●	●	●	low fuel level
laadstroom	●	●	●	●	●	●	●	●	●	charge
oliedruk	●	●	●	●	●	●	●	●	●	oil pressure
symboolverlichting diverse schakelaars	●	●	●	●	●	●	●	●	●	several switches with indication lamp
vloeistofniveau ruitesproeierreservoir				●	●	●			●	washer fluid level
ABS remsysteem						●				ABS brake system
motorcheck noodloopsysteem (benzine versies)	●	●	●	●	●	●	●	●	●	engine check fail safe system (petrol versions)
uitgeschakelde overdrive (automaat)		●	●		●					overdrive switch off position (automatic)
snelgloeisysteem (diesel)		●	●		(diesel)		●		●	quick-glow system (diesel)
water in brandstoffilter (diesel)		●	●		●		●		●	water-in-fuel filter (diesel)
niet goed gesloten portieren	●	●	●	●	●	●	●	●	●	door ajar

● = standaard/standard

UITVOERINGSSPECIFICATIES / EQUIPMENT SPECIFICATIONS

INTERIEUR	3d/4d/5d						Wagon			INTERIOR
	L	LX	LX+	SR	SLX	GTi	LX	LX+	SLX	
stoelbekleding van tricot	●									tricot seat upholstery
stoelbekleding van luxe stof		●	●				●	●		de luxe woven cloth seat upholstery
stoelbekleding van velours					●				●	moquette seat upholstery
stoelbekleding van tricot/luxe stof combinatie				●		●				woven cloth/tricot combination upholstery
vlamvertragende bekledingsmaterialen	●	●	●	●	●	●	●	●	●	flame resistant trim materials
sportstoelen				●		●				sport seats
traploos verstelbare rugleuningen voor	●	●	●	●	●	●	●	●	●	dial type reclining both front seatbacks
verstelbare hoogte bestuurdersstoel voor- en achterzijde		●	●	●	●	●	●	●	●	driver's seat height adjustment front and rear side
instelbare lendensteun bestuurdersstoel				●	●	●			●	lumbar support driver's seat
in hoogte verstelbare hoofdsteunen voor	●	●	●	●	●	●	●	●	●	height adjustable front headrests
kantelbare hoofdsteunen voor				●		●				headrests front for- and backwards adjustable
hoofdsteunen met stof bekleed		●	●	●	●	●	●	●	●	cloth type headrests
hoogteverstelling hoofdsteunen achter		●	●	●	●	●			●	height adjustable rear headrests
2-spaaks stuurwiel	●									2-spoke steering wheel
bekleed 4-spaaks stuurwiel		●	●		●		●	●	●	soft padded 4-spoke steering wheel
3-spaaks sportstuur				●		●				3-spoke sports type steering wheel
stuurwielrand met leer bekleed						●				leather wrapped steering wheel rim
stuurwiel in hoogte verstelbaar			b	●	●	●		●	●	tilt steering wheel
stuurbekrachtiging		d	●	●	●	●	d	●	●	power steering
opklapbare achterbankzitting (3d/5d)	●	●	●	●	●	●				foldable rear bench (3d/5d)
gescheiden opklapbare achterbankzitting (3d/5d)		●	●	●	●	●				split foldable rear bench (3d/5d)
neerklapbare achterbankleuning	●	●	●	●	●	●	●	●	●	foldable rear seatback
deelbare achterbankleuning (60/40)		●	●	●	●	●	●	●	●	split foldable rear seatback (60/40)
hoekverstelling achterbankleuning									●	reclining rear seatback
elektrisch bedienbare zijruiten				●	●	●			●	power windows
armsteunen voor en achter	●	●	●	●	●	●	●	●	●	armrests front and rear
kaartenvak linker voorportier	●	●	●	●	●	●	●	●	●	door pocket driver's side
kaartenvak rechter voorportier	●	●	●	●	●	●	●	●	●	door pocket passenger's side
afsluitbaar dashboardkastje				●	●	●			●	lockable glove box
tunnelconsole met opbergvak	●	●	●	●	●	●	●	●	●	centre console with box
speakers voor	●	●	●	●	●	●	●	●	●	speakers front
speakers achter				●	●	●			●	speakers rear
tapijt vloerbedekking	●	●	●	●	●	●	●	●	●	carpet floor covering
aansteker (verlicht)	●	●	●	●	●	●	●	●	●	cigarlighter (illuminated)
asbakje voor met verlichting	●	●	●	●	●	●	●	●	●	front ashtray with illumination
asbakje achter	●	●	●	●	●	●	●	●	●	ash-tray rear
3-punts rol gordels (v+a)+ 1 heupgordel achter	●	●	●	●	●	●	●	●	●	3-point ELR front+rear seatbelts + 1 rear centre
schouderhoogteverstelling gordels voor (4d/5d)		●	●		●		●	●	●	height adjust. shoulder anchor seatbelt fr. (4d/5d)
akoestisch signaal vergeten verlichting	●	●	●	●	●	●	●	●	●	headlamps - on reminder
centrale portiervergrendeling			●	●	●	●			●	central door locking
volledige portierbekleding	●	●	●	●	●	●	●	●	●	full door trim
portierbekleding met stof afgewerkt		●	●	●		●	●	●		cloth door insert trim
portierbekleding met velours afgewerkt					●				●	velours door insert trim
kinderslot op achterportieren (4d/5d)		●	●		●		●	●	●	child-safety rear door locks (4d/5d)
voetsteun bestuurder	●	●	●	●	●	●	●	●	●	driver's foot rest
kaartleeslampjes voor				●	●	●				front map lamps
pookknop en handremgreep met leer bekleed						●				shift knob and parking brake lever with leather grip
anti-verblindingsbinnenspiegel	●	●	●	●	●	●	●	●	●	anti-glare adjustable rear view mirror
make-up spiegeltje rechter zonneklep		●	●	●	●	●	●	●	●	vanity mirror right side sunvisor
walk-in systeem rechts en links (3d)	●	●	●	●	●	●				walk-in device pass. side and driver's side (3d)
handgreep voor	●	●	●	●	●	●	●	●	●	front assist grip
handgrepen achter (met kledinghaakje)		●	●	●	●	●	●	●	●	rear assist grips (with coathanger)
ontgrendeling koffer- en brandstoftankklep van binnenuit		●	●	●	●	●	●	●	●	trunk lid and fuel filler lid opener
uitneembare hoedenplank (3d/5d)	●	●	●	●	●	●				removable rear parcel shelf (3d/5d)
roltype afdekhoes bagageruimte							●	●	●	retractable luggage room cover
zijwanden bagageruimte bekleed	●	●	●	●	●	●	●	●	●	luggage room side trim
tapijt in bagageruimte		●	●	●	●	●	●	●	●	floor carpet in trunkroom
verlichting in bagageruimte		●	●	●	●	●	●	●	●	luggage area illumination

d = diesel b = benzine (petrol)

● = standaard / standard

TECHNISCHE GEGEVENS/TECHNICAL SPECIFICATIONS

MOTOR	1.4	1.6	2.0 GTi	2.0 diesel
plaats	voorin dwarsgeplaatst			
aantal cil./krukas lagers	4-cilinders in lijn, 5 x gelagerde krukas			
aantal nokkenassen	2 x bovenliggend			1 x bovenliggend
aantal kleppen per cilinder	4			2
cilinderinhoud cm ³	1392	1597	1998	1974
boring x slag mm	73,6 x 81,8	76,0 x 88,0	86,0 x 86,0	84,5 x 88,0
compressieverhouding :1	9,5	9,8	10,0	22,2
max. vermogen kW/pk-tpm	64/87-6000	75/102-6000	105/143-6400	55/75-4800
max. koppel Nm/kgm-tpm	116/11,8-4000	136/13,9-4000	178/18,2-4800	132/13,5-2800
ontsteking/brandstofsysteem	elektronisch motormanagement systeem (ECCS) met zelfdiagnose. multi-point brandstofinjectie			snelgloeisysteem. roterende brandstof inspuitpomp. VE type
brandstofsoort	Euroloodvrij (min RON 95)			dieselolie
katalysator	3-weg geregeld met lambdasonde			n.v.t.
accu (onderhoudsvrij)	12 V 60 Ah	12 V 65 Ah	12 V 60 Ah	12 V 75 Ah
dynamo	12 V 60 Ah	12 V 65 Ah	12 V 80 Ah	12 V 70 Ah
luchtfILTER	droog papierelement			
koeling	vloeistof, gesloten systeem, zelfdenkende ventilator			
		oliekoeler	n.v.t.	

ENGINE	1.4	1.6	2.0 GTi	2.0 diesel
configuration	transversal front mounted			
number of cyl./main bearings	4 cylinder in line, 5 main bearing crankshaft			
number of camshaft	double overhead camshaft			single overhead camshaft
valves per cylinder	4			2
displacement cm ³	1392	1597	1998	1974
bore x stroke mm	73,6 x 81,8	76,0 x 88,0	86,0 x 86,0	84,5 x 88,0
compression ratio :1	9,5	9,8	10,0	22,2
max. power kW/hp-rpm	64/87-6000	75/102-6000	105/143-6400	55/75-4800
max. torque Nm/kgm-rpm	116/11,8-4000	136/13,9-4000	178/18,2-4800	132/13,5-2800
ignition / fuel system	electronic engine management system (ECCS) with self-diagnosis. multi-point fuel injection			quick glow system. diesel injection pump. VE type
recommended fuel	unleaded (min. RON 95)			dieseloil
catalytic converter	3-way system (closed loop)			n.a.
battery (maintenance free)	12 V 60 Ah	12 V 65 Ah	12 V 60 Ah	12 V 75 Ah
alternator	12 V 60 Ah	12 V 65 Ah	12 V 80 Ah	12 V 70 Ah
air filter	dry paper element			
engine cooling	watercooling, closed system, electric cooling fan			
		oil cooler		

TECHNISCHE GEGEVENS / TECHNICAL SPECIFICATIONS

TRANSMISSIE	1.4	1.6	1.6 Wagon	1.4/1.6 aut.	2.0 GTi	2.0 diesel	TRANSMISSION
overbrengingsverhouding :1							gear ratios :1
1e versnelling	3.333	3.063	3.333	2.861	3.063	3.333	1st gear
2e versnelling	1.955	1.826	1.955	1.562	1.826	1.955	2nd gear
3e versnelling	1.286	1.207	1.286	1.000	1.286	1.286	3rd gear
4e versnelling (overdrive)	0.902	0.902	0.902	0.698	0.975	0.902	4th gear (overdrive)
5e versnelling	0.733	0.756	0.756	–	0.756	0.756	5th gear
achterruit	3.417	3.417	3.417	2.310	3.154	3.417	reverse
eindreduktie	4.167	4.167	3.895	4.342/4.072	4.177	3.650	final drive ratio
aandrijving	Op de voorwielen			Front wheels			driving axle
koppeling	Enkelvoudige droge plaatkoppeling mechanisch bediend. Asbestvrij koppelingsmateriaal. Automaat: hydraulische koppelomvormer.			Single dry clutch disc, mechanical controlled type. Asbestos free clutch lining materials. Automatic: hydraulic torque converter.			clutch
automatische transmissie	4 versnellingen met automatisch lock-up systeem waarvan de 4e versnelling een elektrisch uitschakelbare overdrive is. Oliekoeler.			4-speed with lock-up and deletable overdrive on the 4th gear. Oil cooler.			automatic transmission
5-bak GTi	2e en 3e versnelling uitgerust met dubbele synchromesh.			2nd and 3rd gear equipped with double cone synchronizers.			5-speed GTi

GEWICHTEN VERBRUIK PRESTATIES	massa leeg curb weight	max. toe- laatbare massa permis- sible total weight	max. massa aanhanger permissible trailing capacity (kg)		max. dak belasting	max. kogeldruk trekhaak max. force on hitch ball	brandstofverbruik fuel consumption l/100 km (ECE)			topsnel- heid max. speed	WEIGHTS FUEL CONSUMPTION PERFORMANCE
	(kg)	(kg)	geremd with brake	ongeremd without brake	(kg)	(kg)	90 km/h	120 km/h	urban stad	(km/h)	
3-deurs											3-door
1.4 5-bak	1010	1545	900	450	100	75	4.9	6.2	7.9	170	1.4 5-speed
1.4 aut.	1030	1545	840	450	100	75	5.7	7.0	9.0	160	1.4 aut.
1.6 5-bak	1030	1545	1200	450	100	75	5.2	6.9	8.3	180	1.6 5-speed
2.0 GTi 5-bak	1120	1600	1600	560	100	75	6.5	8.1	11.3	210	2.0 GTi 5-speed
2.0 diesel 5-bak	1080	1545	950	450	100	75	4.5	6.3	6.9	160	2.0 diesel 5-speed
5-deurs											5-door
1.4 5-bak	1040	1545	900	450	100	75	4.9	6.2	7.9	170	1.4 5-speed
1.6 5-bak	1060	1545	1200	450	100	75	5.2	6.9	8.3	180	1.6 5-speed
1.6 aut.	1080	1545	1160	450	100	75	5.8	7.2	9.2	170	1.6 aut.
2.0 diesel 5-bak	1120	1545	950	450	100	75	4.5	6.3	6.9	160	2.0 diesel 5-speed
4-deurs											4-door
1.4 5-bak	1030	1545	900	450	100	75	4.9	6.2	7.9	170	1.4 5-speed
1.6 5-bak	1040	1545	1200	450	100	75	5.2	6.9	8.3	180	1.6 5-speed
1.6 aut.	1060	1545	1160	450	100	75	5.8	7.2	9.2	170	1.6 aut.
2.0 diesel 5-bak	1100	1545	950	450	100	75	4.5	6.3	6.9	160	2.0 diesel 5-speed
Wagon											Wagon
1.6 5-bak	1020	1570	1200	510	75	75	5.7	7.7	8.6	170	1.6 5-speed
2.0 diesel 5-bak	1110	1620	1000	605	75	75	4.6	6.5	6.9	155	2.0 diesel 5-speed

